

HANSER

Industrial Polymers

Herausgegeben von E. Alfredo Campo

ISBN-10: 3-446-41119-4

ISBN-13: 978-3-446-41119-7

Inhaltsverzeichnis

Weitere Informationen oder Bestellungen unter

<http://www.hanser.de/978-3-446-41119-7>

sowie im Buchhandel

Contents

| | |
|---|-----------|
| Preface | VII |
| 1 Introduction to Industrial Polymers | 1 |
| 1.1 Beginning of Industrial Polymers | 2 |
| 1.2 Polymer Families | 4 |
| 1.3 Thermoplastic Polymers | 5 |
| 1.3.1 Classification of Polymers by Performance | 5 |
| 1.3.2 Molecular Structure of Industrial Polymers | 7 |
| 1.4 Manufacturing of Industrial Polymers | 8 |
| 1.5 Compounding the Industrial Polymers | 12 |
| 1.6 Additives | 13 |
| 1.7 Fillers and Reinforcements | 14 |
| 1.8 Impact Modifiers | 15 |
| 1.9 Colorants | 15 |
| 2 Polymeric Materials | 17 |
| 2.1 Acrylonitrile-Butadiene-Styrene Copolymer (ABS) | 17 |
| 2.1.1 Advantages of ABS | 18 |
| 2.1.2 Disadvantages and Limitations of ABS | 19 |
| 2.1.3 Typical Applications of ABS | 19 |
| 2.2 Acetal (POM, Polyacetal) | 20 |
| 2.2.1 Advantages of Acetal | 23 |
| 2.2.2 Disadvantages and Limitations of Acetal | 23 |
| 2.2.3 Typical Applications of Acetal | 23 |
| 2.3 Polymethyl Metacrylate (Acrylic, PMMA) | 25 |
| 2.3.1 Advantages of Acrylic | 26 |
| 2.3.2 Disadvantages and Limitations of Acrylic | 26 |
| 2.3.3 Typical Applications of Acrylic | 27 |
| 2.4 High Temperature Nylon (HTN) | 27 |
| 2.4.1 Advantages of HTN | 28 |
| 2.4.2 Disadvantages and Limitations of HTN | 29 |
| 2.4.3 Typical Applications of HTN | 29 |
| 2.5 Ionomer Polymers | 30 |
| 2.5.1 Advantages of Ionomers | 31 |
| 2.5.2 Disadvantages and Limitations of Ionomers | 31 |
| 2.5.3 Typical Applications of Ionomers | 32 |
| 2.6 Liquid Crystal Polymer (LCP) | 32 |
| 2.6.1 Advantages of LCP | 33 |
| 2.6.2 Disadvantages and Limitations of LCP | 33 |
| 2.6.3 Typical Applications of LCP | 34 |
| 2.7 Polyamide (PA, Nylon) | 34 |
| 2.7.1 Advantages of Nylon | 37 |
| 2.7.2 Disadvantages and Limitations of Nylon | 37 |
| 2.7.3 Typical Applications of Nylon | 38 |

| | | |
|--------|--|----|
| 2.8 | Polyetherimide (PEI) | 40 |
| 2.8.1 | Advantages of PEI | 41 |
| 2.8.2 | Disadvantages and Limitations of PEI | 41 |
| 2.8.3 | Typical Applications of PEI | 42 |
| 2.9 | Polyarylate (PAR) | 42 |
| 2.9.1 | Advantages of PAR | 44 |
| 2.9.2 | Disadvantages and Limitations of PAR | 44 |
| 2.9.3 | Typical Applications of PAR | 45 |
| 2.10 | Polyetherether Ketone (PEEK) | 45 |
| 2.10.1 | Advantages of PEEK | 46 |
| 2.10.2 | Disadvantages and Limitations of PEEK | 47 |
| 2.10.3 | Typical Applications of PEEK | 47 |
| 2.11 | Polycarbonate (PC) | 47 |
| 2.11.1 | Advantages of PC | 49 |
| 2.11.2 | Disadvantages and Limitations of PC | 49 |
| 2.11.3 | Typical Applications of PC | 50 |
| 2.12 | Modified Polyphenylene Oxide (PPO) | 51 |
| 2.12.1 | Advantages of PPO | 52 |
| 2.12.2 | Disadvantages and Limitations of PPO | 53 |
| 2.12.3 | Typical Applications of PPO | 53 |
| 2.13 | Polybutylene Terephthalate (PBT) | 54 |
| 2.13.1 | Advantages of PBT | 55 |
| 2.13.2 | Disadvantages and Limitations of PBT | 55 |
| 2.13.3 | Typical Applications of PBT | 55 |
| 2.14 | Polyethylene Terephthalate (PET) | 56 |
| 2.14.1 | Advantages of PET | 58 |
| 2.14.2 | Disadvantages and Limitations of PET | 59 |
| 2.14.3 | Typical Applications of PET | 59 |
| 2.15 | Polyethylene (PE) | 59 |
| 2.15.1 | Advantages of PE | 61 |
| 2.15.2 | Disadvantages and Limitations of PE | 61 |
| 2.15.3 | Typical Applications of PE | 62 |
| 2.16 | Ethylene Vinyl Acetate (EVA) | 63 |
| 2.17 | Ethylene N-Butyl Acrylate (ENBA) | 63 |
| 2.18 | Ethylene Methyl Acrylate (EMA) | 64 |
| 2.19 | Ethylene Ethyl Acrylate (EEA) | 64 |
| 2.20 | Ultrahigh Molecular Weight Polyethylene (UHMWPE) | 64 |
| 2.21 | Metallocene Polyethylene (MPE) | 64 |
| 2.22 | Polytetrafluoroethylene (PTFE) | 65 |
| 2.22.1 | Advantages of PTFE | 68 |
| 2.22.2 | Disadvantages and Limitations of PTFE | 68 |
| 2.22.3 | Typical Applications of PTFE | 69 |
| 2.23 | Polyphenylene Sulfide (PPS) | 70 |
| 2.23.1 | Advantages of PPS | 71 |
| 2.23.2 | Disadvantages and Limitations of PPS | 71 |
| 2.23.3 | Typical Applications of PPS | 72 |
| 2.24 | Polypropylene (PP) | 72 |
| 2.24.1 | Advantages of PP | 74 |

| | | |
|----------|--|-----------|
| 2.24.2 | Disadvantages and Limitations of PP | 74 |
| 2.24.3 | Typical Applications of PP | 75 |
| 2.25 | Polystyrene (PS) | 76 |
| 2.25.1 | Advantages of PS | 77 |
| 2.25.2 | Disadvantages and Limitations of PS | 77 |
| 2.25.3 | Typical Applications of PS | 78 |
| 2.26 | Polysulfone (PSU) | 78 |
| 2.26.1 | Advantages of PSU | 80 |
| 2.26.2 | Disadvantages and Limitations of PSU | 80 |
| 2.26.3 | Typical Applications of PSU | 80 |
| 2.27 | Polyvinyl Chloride (PVC) | 81 |
| 2.27.1 | Advantages of PVC | 82 |
| 2.27.2 | Disadvantages and Limitations of PVC | 83 |
| 2.27.3 | Typical Applications of PVC | 83 |
| 2.28 | Styrene Acrylonitrile (SAN) | 84 |
| 2.28.1 | Advantages of SAN | 85 |
| 2.28.2 | Disadvantages and Limitations of SAN | 85 |
| 2.28.3 | Typical Applications of SAN | 85 |
| 2.28.4 | Typical Applications for OSA and ASA | 86 |
| 3 | Thermoplastic Elastomers (TPE) | 87 |
| 3.1 | Advantages of TPE | 87 |
| 3.2 | Disadvantages of TPE | 88 |
| 3.3 | Thermoplastic Elastomer Families | 89 |
| 3.4 | Thermoplastic Polyurethane Elastomer (TPU) | 90 |
| 3.4.1 | Advantages of TPU | 92 |
| 3.4.2 | Disadvantages and Limitations of TPU | 92 |
| 3.4.3 | Typical Applications of TPU | 93 |
| 3.5 | Styrenic Block Copolymer (SBS) | 93 |
| 3.5.1 | Advantages of SBS | 95 |
| 3.5.2 | Disadvantages and Limitation of SBS | 95 |
| 3.5.3 | Typical Applications of SBS | 95 |
| 3.6 | Polyolefin Thermoplastic Elastomer (TPO) | 96 |
| 3.6.1 | Advantages of TPO | 98 |
| 3.6.2 | Disadvantages and Limitations of TPO | 99 |
| 3.6.3 | Typical Applications of TPO | 99 |
| 3.7 | Thermoplastic Vulcanizate (TPV) | 100 |
| 3.7.1 | Advantages of TPV | 102 |
| 3.7.2 | Disadvantages and Limitations of TPV | 102 |
| 3.7.3 | Typical Applications of TPV | 102 |
| 3.8 | Melt Processible Rubber (MPR) | 103 |
| 3.8.1 | Advantages of MPR | 105 |
| 3.8.2 | Disadvantages and Limitations of MPR | 105 |
| 3.8.3 | Typical Applications of MPR | 105 |
| 3.9 | Block Copolyester Thermoplastic Elastomer | 106 |
| 3.9.1 | Advantages | 109 |
| 3.9.2 | Disadvantages and Limitations | 110 |
| 3.9.3 | Typical Applications | 110 |

| | | |
|----------|--|------------|
| 3.10 | Polyamide Thermoplastic Elastomer | 111 |
| 3.10.1 | Advantages | 113 |
| 3.10.2 | Disadvantages and Limitations | 113 |
| 3.10.3 | Typical Applications | 114 |
| 4 | Liquid Injection Molding Silicone (LIM®) | 115 |
| 4.1 | LIM® Silicone Processing | 116 |
| 4.1.1 | Liquid Components Feeding System | 116 |
| 4.1.2 | Injection Molding Machine Modifications | 117 |
| 4.1.3 | LIM® Mold Requirements | 117 |
| 4.1.4 | LIM® Mold Design Recommendations | 118 |
| 4.2 | Advantages of LIM® | 118 |
| 4.3 | Disadvantages and Limitations of LIM® | 119 |
| 4.4 | Typical Applications of LIM® | 119 |
| 5 | Industrial Thermoset Polymers | 121 |
| 5.1 | Polyester Alkyd (PAK) | 123 |
| 5.1.1 | Advantages of PAK | 124 |
| 5.1.2 | Disadvantages and Limitations of PAK | 124 |
| 5.1.3 | Typical Applications of PAK | 124 |
| 5.2 | Diallyl Phthalate/Isophthalate (DAP, DAIP) | 125 |
| 5.2.1 | Advantages of DAP | 126 |
| 5.2.2 | Disadvantages and Limitations of DAP | 126 |
| 5.2.3 | Typical Applications of DAP | 127 |
| 5.3 | Melamine Formaldehyde (MF) | 127 |
| 5.3.1 | Advantages of MF | 128 |
| 5.3.2 | Disadvantages and Limitations of MF | 129 |
| 5.3.3 | Typical Applications of MF | 129 |
| 5.4 | Cellulose Ester | 129 |
| 5.4.1 | Advantages of Cellulose Ester | 129 |
| 5.4.2 | Disadvantages and Limitations of Cellulose Ester | 130 |
| 5.4.3 | Typical Applications of Cellulose Ester | 130 |
| 5.5 | Cyanate | 131 |
| 5.5.1 | Advantages of Cyanate | 133 |
| 5.5.2 | Disadvantages and Limitations of Cyanate | 134 |
| 5.5.3 | Typical Applications of Cyanate | 134 |
| 5.6 | Epoxy (EP) | 134 |
| 5.6.1 | Advantages of Epoxy | 136 |
| 5.6.2 | Disadvantages and Limitations of Epoxy | 137 |
| 5.6.3 | Typical Applications of Epoxy | 137 |
| 5.7 | Phenol Formaldehyde (Phenolic, PF) | 137 |
| 5.7.1 | Advantages of Phenolics | 139 |
| 5.7.2 | Disadvantages and Limitations of Phenolics | 140 |
| 5.7.3 | Typical Applications of Phenolics | 140 |
| 5.8 | Polybutadiene (PB) | 141 |
| 5.8.1 | Advantages of PB | 141 |
| 5.8.2 | Disadvantages and Limitations of PB | 141 |
| 5.8.3 | Typical Applications of PB | 141 |

| | |
|---|-----|
| 5.9 Bismaleimide (BMI) | 142 |
| 5.9.1 Advantages of BMI | 143 |
| 5.9.2 Disadvantages and Limitations of BMI | 143 |
| 5.9.3 Typical Applications of BMI | 143 |
| 5.10 Unsaturated Polyester (UP) | 143 |
| 5.10.1 Advantages of UP | 146 |
| 5.10.2 Disadvantages and Limitations of UP | 146 |
| 5.10.3 Typical Applications of UP | 146 |
| 5.11 Polyimide (PI) | 147 |
| 5.11.1 Advantages of PI | 148 |
| 5.11.2 Disadvantages and Limitations of PI | 148 |
| 5.11.3 Typical Applications of PI | 149 |
| 5.12 Polyxylene | 150 |
| 5.12.1 Advantages of Polyxylene | 150 |
| 5.12.2 Disadvantages and Limitations of Polyxylene | 150 |
| 5.12.3 Typical Applications of Polyxylene | 150 |
| 5.13 Polyurethane (PUR) | 151 |
| 5.13.1 Advantages of PUR | 154 |
| 5.13.2 Disadvantages and Limitations of PUR | 154 |
| 5.13.3 Typical Applications of PUR | 155 |
| 5.14 Silicone (Si) | 155 |
| 5.14.1 Advantages of Si | 156 |
| 5.14.2 Disadvantages and Limitations of Si | 156 |
| 5.14.3 Typical Applications of Si | 157 |
| 5.15 Urethane Hybrid | 158 |
| 5.15.1 Reaction Injection Molding (RIM) | 159 |
| 5.15.2 SRIM Processing | 159 |
| 5.15.3 Advantages of Urethane Hybrid | 160 |
| 5.15.4 Disadvantages and Limitations of Urethane Hybrid | 160 |
| 5.15.5 Typical Applications of Urethane Hybrid | 160 |
| 5.16 Vinyl Ester (BPA) | 161 |
| 5.16.1 Advantages of this Process | 163 |
| 5.16.2 Advantages of Vinyl Ester | 163 |
| 5.16.3 Disadvantages and Limitations of Vinyl Ester | 164 |
| 5.16.5 Typical Applications of Vinyl Ester | 164 |
| Selected References | 165 |
| Appendix | 167 |
| Acronyms for Polymeric Materials | 167 |
| Common Acronyms | 169 |
| Process Acronyms | 169 |
| Reinforcement and Filler Acronyms | 170 |
| English and Metric Units, Conversion Guide | 171 |
| Subject Index | 173 |
| About the Author | 179 |